


DATAMARS
Livestock

SUMMER 2026

Weight Management, EID & Livestock Identification

Livestock Management Solutions

PRODUCT GUIDEBOOK

A Measurable Difference

We are dedicated to providing a more comprehensive, integrated livestock management portfolio. As a result, we have united our product brands under a single family – Datamars Livestock.

Our goal is to provide producers with the essential tools to meet the increasing global demand for high-quality protein. The journey begins with tag identification at birth. As animals grow, our products meticulously track data insights, facilitating fact-based decision-making. Our animal health delivery systems ensure dose accuracy, safety, and efficiency, thereby saving time and reducing stress. Taking it a step further, our line of livestock scales and EID readers collects real-time data for effective management throughout the animal's life cycle.

Managing data insights extends beyond livestock. Our electric fencing products offer exceptional containment or exclusion practices for permanent, semi-permanent, or temporary fencing solutions. Automatic Waterers provide producers with a simple, clean, and healthier method of water management.

At Datamars Livestock, we take pride in delivering quality products and exceptional service. We believe in the future of agriculture and are ready to assist with any challenges at hand.

ABOUT US

Established over 35 years ago, Datamars Livestock' growth has been founded on research and development-driven innovation. Our mission is to provide world-leading solutions for livestock management and animal health, with a central focus on enhancing the efficiency of livestock production. Our solutions encompass farm infrastructure, animal identification, individual animal weight and activity performance systems, and animal health delivery systems supported by the Datamars Livestock cloud software which provides producers with real-time performance insights about their livestock.

Datamars Livestock features globally recognized brands such as Z Tags, Temple Tag, Tru-Test, Speedrite, Patriot, Pulse NFS, NJ Phillips, and Simcro. Datamars Livestock – North America is headquartered in Temple, TX.

VISIT LIVESTOCK.DATAMARS.COM

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

Tru-Test Weighing, EID & Smart Farming Solutions

VISIT TRU-TEST.COM

Speedrite
Superior Electric Fencing

VISIT SPEEDRITE.COM

Patriot
Quality Electric Fencing

VISIT PATRIOTGLOBAL.COM

Z Tags & Temple Tag
Livestock Identification Tags

VISIT ZTAGS.COM

NJ Phillips & Simcro
Animal Health Delivery Systems

VISIT NJPHILLIPS.COM
VISIT SIMCRO.COM

Pulse
Needle-free Delivery Systems

VISIT PULSE-NFS.COM



CONTENTS

WHY WEIGH?	**4**
Benefits of Weighing	4
Indicators	5
Indicator Comparison	7
EID Readers, Panels & Antennas	8
Improving Efficiency & Maximizing Profits	10
EID Weigh System Example	11
Load Bars	12
Platforms	16
Weighing Accessories	18
Data Management & Reporting	20

ANIMAL IDENTIFICATION	**22**
Selecting a Tag	23
Tag Retention Tips	24
Tag Comparison Chart	25
EID Tags & Matched Sets	26
Tissue Tags	30
Z1 No-Snag-Tags	34
Tag Marking Options	37
Herdsman Tags	38
Original One-Piece Tag	41
Applicators & Accessories	43

Why Weigh?

You can't manage what you don't measure.

Weighing replaces guesswork with facts, serving as a potent performance measurement tool for producers. Tru-Test scale indicators play a crucial role in facilitating critical decision-making regarding feed, health treatments, and herd management.

While weighing alone is a valuable addition to your operation, the integration of electronic identification brings an added layer of efficiency. This technology allows for the seamless collection and management of data, enabling the maximization of individual animal performance.

By gathering data such as weaning weights, dam or sire information, animal health records, or withdrawal periods, Tru-Test products contribute to profit maximization and more precise management of insights.

Benefits Of Weighing



MAXIMIZE PROFITABILITY



COLLECT KEY WEIGHT DATA



MONITOR PERFORMANCE



TREAT ACCURATELY

Maximize Profitability: Boost profitability by recognizing that effective management requires accurate measurement.

Collect Key Weight Data: Efficiently manage inputs by tracking performance and weight gain, allowing for better control over feed and resource costs.

Monitor Performance: Gather data and closely monitor crucial weights, such as birth weights, weaning weights, and yearling weights, to optimize individual animal performance.

Treat Accurately: Enhance treatment efficiencies by precisely calculating dosage based on individual animal requirements, thereby preventing under- or over-dosing of livestock.

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

INDICATORS

Tru-Test indicators are the fastest, most versatile, accurate, and durable in the world.

Superdamp™ technology, exclusive to Tru-Test, rapidly locks in on weights, even with the most energetic animals. In just 2 seconds*, our indicators can precisely capture a weight, and a clear stable light indicates readiness for recording.

An auto-zero function is also in place to reset any accumulation of dirt or manure to zero once the animal exits the scale. The 5000 series boasts industry-leading features, providing state-of-the-art data collection options right at the chute side.

XR5000

Ideal for operations with either a commercial or seedstock focus, as well as those interested in a broad spectrum of performance indicators.

- Stores 1 million records in 1,000 weigh sessions.
- Calculates target weights based on age & breed.
- Stores 100 pieces of custom info per cow.
- Allows up to 10-way sorting by custom criteria.
- Calculates treatment dosage by weight to minimize waste.
- Tracks treatments and sets alarms for withholding periods.
- Battery life: 10 hours with backlight on; 13 hours with backlight off
- Compatible with Bluetooth® EID readers.



823436; 880 0000-182

ID5000

Ideal for operations with weight gain and other important performance focus.

- Stores 250,000 records in 250 weigh sessions.
- Records weight gain to track growth.
- Stores up to 3 IDs and 3 pieces of data sets (breed, sex or other) per animal.
- Allows up to 5-way sorting by weight, weight gain and single criteria.
- Long-life battery: 10 hours with backlight on, 13 hours with it off.
- Compatible with Bluetooth EID readers.



823435; 880 0000-787

S3

Ideal for operations interested in basic weight display and recording for herd management.

- Simple to use
- Rugged and waterproof
- Bluetooth low energy connectivity
- Record weights & configure settings via Data Link app



834021; 880 0002-591

S3 Weigh System with MP600 Load Bars

Ideal for operations interested in basic weight display and recording for herd management.

- Simple to use
- Rugged and waterproof
- Bluetooth low energy connectivity
- Record weights & configure settings via Data Link app



834024; 880 0002-593

INDICATOR COMPARISON

TECHNICAL	XR5000	ID5000	S3
Is my indicator visible in direct sunlight?	✓	✓	✓
Is my indicator water and dust proof?	✓	✓	✓
Can I view statistics on screen in the field?	✓	✓	–
Can I view animal history on screen in the field?	✓	✓	–
Can I easily set up my scale by using preloaded setup?	✓	✓	–
Can animals be sorted by weight gain or single criteria?	✓	✓	–
How many groups can I create for sorting livestock?	10	5	–
Does my indicator have automatic Tru-Test load bar recognition and calibration?	✓	✓	✓

DATA COLLECTION & RECORDING	XR5000	ID5000	S3
How many individual records can I store?	1 million	250,000	–
How many weighing sessions can I keep?	1,000	250	–
How many custom traits can I record per animal?	100	3	–
Can the indicator receive data from the electronic identification (EID) reader via Bluetooth?	✓	✓	–
Can I link weights & other data to the animal's visual and EID on the indicator?	✓	✓	–

DATA TRANSFER	XR5000	ID5000	S3
Is the indicator compatible with the Data Link app?	✓	✓	✓
Can I use a USB flash drive to get information off the weigh scale?	✓	✓	–
Can I use Bluetooth to transfer data recorded on the indicator to the Data Link app after session is complete?	✓	✓	–
Can I use Bluetooth to send weights from the indicator to the Data Link app in real-time?	–	–	✓

CALCULATIONS	XR5000	ID5000	S3
Will the indicator calculate weight gain?	✓	✓	–
Will the indicator calculate carcass weight?	✓	✓	–
Will the indicator calculate dosage of animal health products based on weight?	✓	✓	–

EID Readers

Enhancing livestock profitability through precise and efficient data collection is achieved by tracking animals using electronic identification (EID).

Tru-Test has collaborated extensively with livestock producers to create the best-in-class range of EID readers available on the market.

Electronic Identification enables the comprehensive tracking of individual animals throughout their entire life cycle via an electronic ear tag.

By utilizing electronic tags, there is an opportunity to enhance the management of each animal's individual performance. This allows for the tracking of an animal's weight history over time, identification of both strong and weak performers, and more effective resource management to maximize profits.

With the integration of a Tru-Test scale indicator and a portable or panel EID reader, animals can be scanned at the time of weighing. Individual animal weights and other traits can be recorded and associated with each animal's unique ID number. This information is stored within the scale indicator, ready for convenient access in the field or at the office.

Features of Electronic Identification (EID)



INDIVIDUAL HEALTH MANAGEMENT



MONITOR PERFORMANCE



DATA RECORD KEEPING



MAXIMIZE PROFITS

	SRS2i	XRS2i	XRP2i
Is it portable and easily transportable to multiple locations with minimal setup?	✓	✓	–
Can data with EID/VID matched pairs be uploaded from the PC?	✓	✓	–
Is it capable of recording EID tags for branded beef programs?	✓	✓	–
Is it capable of scanning EID tags and collect customized data directly in the field?	–	✓	–
Can a stationary EID panel reader automate tag readings using a chute or working pens?	–	–	✓
Is it capable of sending EID numbers to an Indicator in real-time?	✓	✓	✓
Is the EID Reader compatible with the Antennas?	–	–	✓

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

EID READERS & ANTENNAS

Portable SRS2i Stick Reader

Efficiently read and record information for each individual animal.

- 250,000 tag memory
- View EID and visual tag info for accuracy confirmation
- Reads all FDX and HDX tags
- Accepts uploaded EID/VID matched pairs
- Bluetooth wireless technology for scale connectivity



880 0004-657

Portable XRS2i Stick Reader

Efficiently read, record, edit, and customize information for each individual animal.

- 1 million tag memory
- Capture up to 15 customizable pieces of information per animal
- Customizable alerts, including withdrawal periods
- Reads all FDX and HDX tags
- Accepts uploaded EID/VID matched pairs
- Alpha-numeric keypad for flexible data entry
- Bluetooth wireless technology for operation with a connected scale
- Includes: Hard Protective Case, AC power adapter and USB cable.



880 0004-656

XRP2i Panel Reader

Tru-Test's advanced reading technology guarantees fast and reliable tag reads every session.

- Reads all FDX and HDX tags
- Functions as a standalone tag recorder and animal counter or sends tag numbers to a Tru-Test scale
- Requires a large or small antenna
- Includes: Hard Protective Case, AC power adapter and USB cable.



880 0004-607

Small Antenna

- For sheep, goats or swine
- Read distance: 3ft
- Dimensions: 16" X 17"
- Rugged design
- Easy installation
- Only compatible with the XRP2i Panel Reader



824996; 880 0000-779

Large Antenna

- For cattle or deer
- Read distance: 3ft
- Dimensions: 24" X 34"
- Rugged design
- Easy installation
- Only compatible with the XRP2i Panel Reader



824997; 880 0000-259

Improving Efficiency & Maximizing Profits

Data Collection Efficiency Feature Story – Fenco Farms

LeRoy Rooks presently oversees Fenco Farms, where they maintain a herd of 1,800 to 2,000 Brangus and Sim Angus commercial cows. In the previous year, Fenco Farms artificially inseminated over 900 head of commercial cows. Additionally, they operate a registered Brangus operation, employing data to enhance their livestock management decisions.

"We use our XR5000 for everything. It's a very robust system. One of the main things we do with our animals is we set parameters for average daily gain in our feeders. The ADG function is very important on the XR5000. It shows us days vs weight to help us decide which animals qualify to go to a feedlot. Next year, we'll be using our XR5000 to look at the mature weight of females' vs weaning weights of their offspring. We try to be data conscious in our commercial operation. We record quite a bit chute side. Data is our story."

At Datamars Livestock, our philosophy revolves around ensuring data accessibility and seamless transfer. LeRoy concurs, emphasizing the ease of extracting data from the indicator. "I do the data transfer on my phone. For example, we pregnancy checked the cows this morning. As soon as we got done, I sent the data to my analyst in Texas."

We also endeavor to simplify the process of importing data into herd management programs for additional utilization. "Last week our analyst was here with us weighing registered calves. As soon as we got done weaning those calves, he uploaded the information to [Datamars Livestock] cloud software for his data retrieval. He also sent the CSV files to his staff so they could put the data into CattleMax."

Recognizing the significance of data, Fenco Farms also prioritizes efficiency and accuracy. Each animal within the operation is equipped with an EID tag, ensuring that all pertinent data is recorded in the indicator alongside its electronic identification number.

Fenco Farms acknowledges the value of data not only for their immediate operational needs but also for the subsequent stages of the market cycle. "One of the most beautiful things about the XR5000 is when we're sorting animals as feeders. We'll sort four or five semi loads on average daily gain, sex, body condition of the calf, etc., depending on where they are going. Tomorrow, when we load those semis, we have our XR5000 set up with some custom fields. We scan every single calf when it goes on that semi so by the time that semi lands in Kansas or Iowa, the feed yards have the EID numbers, starting weights, and average daily gain weights on everything that came off that semi."

"We push the envelope." Fenco Farms has also taken data one step further with DNA sampling. "We DNA sample every calf. We use matched pair sets that correspond with the DNA samples, so everything is recorded as soon as we scan the tag, and it all goes right into the XR5000."

Fenco Farms initiated its use of Tru-Test products in 2014 with a portable EID reader. Subsequently, they acquired their first XR5000. Witnessing the robust data collection capabilities, Fenco Farms became a staunch advocate of Tru-Test. Currently, they possess two XR5000s, two stick readers, four panel readers, and three sets of load bars. "As we grow, we're staying with Tru-Test. They have been very good to us. I had to send our XR5000 for service, and I got it back in two days. Customer Service has been excellent."


LeRoy incorporates additional products from the Datamars Livestock portfolio. "I'm a big supporter of Speedrite. We do rotational grazing on a 360-acre pivot, and we put temporary fence on it. Occasionally we throw a Patriot solar charger in there when needed."

Datamars Livestock values the power of data and integrated animal management. The success of operations like Fenco Farms fills us with pride and motivates us to consistently provide our customers with the high-quality tools they require.

EID WEIGH SYSTEM EXAMPLE

How Weighing & EID Work Together

To find out more and see our weighing and EID products in action, VISIT our YouTube page



Load Bars

Tru-Test load bars are recognized as the most reliable, rugged, and durable options, featuring internal load cells made of aircraft-grade aluminium for superior resistance to corrosion.

Additionally, heavy-duty TPR/PVC cables are employed to minimize the risk of cable damage. Both our multi-purpose and heavy duty load bars guarantee accuracy within +/- 1%. To ensure longevity, Tru-Test load cells are fully enclosed, providing protection against dirt, moisture, and rodents.

Features of Load Bars



RUGGED & DURABLE DESIGN



HIGH-QUALITY GUARANTEE



ACCURACY

	MP600	MP800	HD5T	XHD-2
Weigh show livestock in a crate or on a platform	✓	✓	–	–
Weigh sheep or goats in a crate or alleyway system	✓	✓	–	–
Weigh cattle in a stationary alleyway on a platform	✓	✓	–	–
Weigh cattle in a portable application using a platform	✓	✓	–	–
Weigh cattle in a manual chute	–	–	✓	✓
Weigh cattle in a hydraulic chute	–	–	✓	✓
Weigh horses in a breeding/equestrian program	–	✓	–	–

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

ALLEYWAY LOAD BARS

All Load Bars are Compatible with any Tru-Test Scale Indicator

MP600 Load Bars

Versatile. For All Animal Types.

- 23" Long (Sold as a pair)
- 4,400 lbs. Capacity
- Recommended under alleyway platforms, cages or small animal crates.
- Portable/mobile: Can be used for temporary installations.
- Corrosion-resistant design featuring a galvanized steel housing that safeguards the bar.
- Equipped with rubber feet for enhanced grip and shock protection.



805122; 880 0000-202

MP800 Load Bars

Multi-Purpose. For Wider Alleyways.

- 32" Long (Sold as a pair)
- 6,600 lbs. Capacity
- Recommended for wider alleyways.
- Corrosion-resistant design featuring a galvanized steel housing that safeguards the bar.
- Equipped with rubber feet for enhanced grip and shock protection.



805123; 880 0000-240

CHUTE LOAD BARS


All Load Bars are Compatible with any Tru-Test Scale Indicator

XHD-2 Cell System

Permanent Installations Under Large Chutes.

- Includes four load cells, mounting brackets, junction box and cable
- 10,000 lbs. capacity (4 x 2,500 each cell)
- Rugged. Strong and durable construction.
- For permanent installations under manual / hydraulic squeeze chutes or large platforms
- Plated, sealed load cell - Protects against moisture and corrosion damage for permanent outdoor installation

Note: : Bracket assembly sold separately (Item # 880 0003-196)



826907; 880 0000-277

HD5T Load Bars

Ideal for Mounting with Heavy-Duty chutes.

- 39" Long
- 11,000 lbs. Capacity
- Heavy-duty construction.
- Easy Installation: Bolt it to the chute, then secure it to the concrete surface.
- Requires a permanent, anchored installation.
- Stable & Secure Load Cell: No movement observed when installed under the chute, ensuring a static installation.

Note: Lifts chute an additional 4 inches.



833749; 880 0000-565
(Transition to New Item # 880 0003-773)

Fresh Water All Year Long

Automatic Waterers

- Tru-Test™ Livestock Waterers are designed to deliver a fresh water supply for your livestock, all year round.
- Easy to access, clean, drain and maintain.
- Superior quality all brass valves.
- Built-in, easily accessible water cut-off switch.
- Lower profile, suitable for a variety of livestock.

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM



Platforms

Tru-Test platforms are crafted with a focus on durability, animal safety, and portability.

Designed to withstand constant use, our lightweight platforms are also portable, making them suitable for seasonal weighing or for use across multiple sites. These platforms are specifically tailored to accommodate Tru-Test's industry-leading load bars.

Features of Platforms



ROBUST &
DURABLE DESIGN



PORTABILITY



LIVESTOCK
SAFETY



EASE OF USE

	SMALL	WP600	AP600/800
Weigh small/show livestock or calves	✓	–	–
Weigh show cattle, occasionally outdoors but usually in a barn or under a covering	–	✓	✓
Lightweight, portable platform to move between cattle working sites	–	–	✓
Weigh cattle in an alleyway system designed for a commercial, high volume operation	–	–	✓

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

PLATFORMS

Small Animal Platform

- 24"(W) X 48"(L)
- Recommended use with MP600 Load Bars
- Designed for pigs, goats, sheep, and calves
- Lightweight and portable
- Non-skid grit tape for traction



831740; 880 0003-424

WP600 Platform

- 24"(W) X 72"(L)
- Recommended use with MP600 Load Bars
- Designed for show cattle
- Lightweight and portable
- Steel and wood construction
- Low profile design
- No sharp edges



834477; 880 0003-441

AP600 Platform


- 24"(W) X 87.5"(L)
- Recommended use with MP600 Load Bars
- Designed for alleyways & portable applications
- Low profile design
- No sharp edges
- Rubber traction mat for noise reduction



821723; 880 0003-293

AP800 Platform

- 34"(W) X 87.5"(L)
- Recommended use with MP800 Load Bars
- Designed for alleyways & portable applications
- Low profile design
- No sharp edges
- Rubber traction mat for noise reduction



821724; 880 0003-294

WEIGHING ACCESSORIES

5000 Series Power Adaptor†

- For 5000 series scales
- Included: Multi-region AC adaptor



826639; 880 0000-453

5000 Series 12V Charging Kit

- For 5000 series scales
- Includes: 12V Adaptor connection (vehicle or battery)



827195; 880 0000-322

XRP2i Power Adaptor†

- For XRP2i EID panel reader
- Compatible for Australian/NZ, European, UK, and US power leads



825646; 880 0000-604

XRP2i 12V Power Cable†

- For XRP2i EID panel reader



825644; 880 0000-510

5000 Series Plastic Carry Case†

- Tough & durable
- For 5000 Series scale indicator



824574P ; 880 0002-165

XRS2i & SRS2i Charging kit

- For XRS2i, SRS2i, & ERS EID readers
- Includes: 5V Multi-region adaptors & USB Cable



829488P: 880-0001-007

Fixed Mounting Bracket†

- For 5000 Series scale indicator
- Or for mounting XRP2I EID panel reader on flat surface or pipe



WIH80001; 880 0000-518

XRS2i & SRS2i Carrying Case†

- Tough & durable
- For XRS2i & SRS2i EID stick readers and accessories



830723P; 880 0004-769

Adjustable Mounting Bracket

- For use to mount Tru-Test scale indicators or XRP2i EID panel reader on flat surface or pipe



826641; 880 0000-754

S3 Indicator Mounting Bracket†

- For mounting on a flat surface or pipe
- Included with S3 Indicator
- Hardware is not included



833979P; 880 0002-732

†This accessory is included as standard with the applicable product and can be ordered as a replacement or as an additional spare.

WEIGHING ACCESSORIES

Cable USB Series A to Mini-B†

- Connects the PC to 5000 Series indicators, XRS2i & SRS2i EID stick readers



834892P; 880 0002-615

Cable C16 to D9 Serial and '5V DC' C16

- For 5000 Series indicator usage
- Provides 2 serial connection ports enabling simultaneous battery charging



826638; 880 0000-665

USB Cable - USB A to Micro B

- Used for S3 indicator charging



833978P; 880 0002-731

XRP2i Serial Cable†

- Connects the XRP2i EID panel reader to scale indicator and other devices



825643; 880 0000-828

HD5T Load Bar Extension Cable

- 10ft length
- Used to lengthen the cable distance to the indicator



880 0010-910

XRP2i Antenna Extension Cable†

- 18' long
- For XRP2i EID panel reader



825649; 880 0000-306

Cable C16 to D9 Serial

- Connects 5000 Series indicators & EziWeigh7i indicator



818324; 880 0000-371

XHD2 Bracket Assembly

- Bracket kit for XHD2 Load Cell System (Set of 4)
- Required for most squeeze chutes; hardware included
- Load cells sold separately.



806896; 880 0003-196

†This accessory is included as standard with the applicable product and can be ordered as a replacement or as an additional spare.

Data Management & Reporting

Powerful Weight Management Software

Datamars Pro connects your Tru-Test devices and livestock data in one powerful app, built to make every task on-farm easier, faster, and more informed.

From downloading session files to viewing real-time insights, Datamars Pro gives you visibility, control and the ability to make quick fact-based decisions, wherever you are.

Key features

- ***Connect to your Tru-Test devices***
  Pair your Tru-Test scales and EID readers for seamless setup, configuration, and live data transfer.

- ***Live recording***
  Record weights in real time with your S3 Indicator, keeping data accurate and instantly available.

- ***Record and view sessions***
  View, manage, and organize your weigh sessions — right from your phone. Access individual animal records, averages, and trends to make data-driven decisions.

- ***Sync sessions with the cloud***
  Automatically upload your sessions to Datamars Livestock cloud software when connected to the internet. Work offline and sync later when coverage returns.

- ***Share sessions instantly***
  Send session files via email, text, or other apps — or share directly with your team, advisors, or supported national livestock traceability programs.

- ***Streamlined experience***
  A modern, reliable interface designed for simplicity and speed in any environment.



PRO SUPPORT:

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

SOFTWARE & COMPATIBILITY

New integrated Datamars Livestock web app

Weights and sessions have moved from the Datamars Livestock legacy web app to the new, integrated Datamars Livestock web app.

Information from Tru-Test weigh scale indicators and EID readers will be visible alongside Active Tag, Autonomous Weighing, Dairy Sort Gate, Fence Monitoring and Connected Energizer insights.

Example of Charts and Graphs with Integrated Web App



DATAMARS PRO app for Windows PC

- Connect Tru-Test EID reader and scale to your Windows PC.
- Easily download and upload recorded information.
- Use PC Data Link for device software updates.
- Send session data to Datamars Livestock.

DATAMARS PRO APP COMPATIBILITY	IOS	ANDROID
XR5000 & ID5000	✓	✓
EziWeigh7i	✓	✓
S3	✓	✓
XRS2i & SRS2i	✓	✓
XRP2i	✓	✓

Download on the App Store

GET IT ON Google Play

DATAMARS
Livestock™

Z TAGS™
DATAMARS

Animal Identification

Premium Long-term Livestock Identification Tags

Recommended. Trusted. Quality.

For over 30 years, Z Tags has been supplying producers with identification tools. The product line includes visual tags, electronic identification (EID) tags, and innovative applicators designed to simplify, enhance safety, and improve efficiency in livestock tagging. Z Tags provides high-quality livestock identification tags and applicator devices tailored to meet the needs of your operation. We recommend combining Z Tags with our Tru-Test products for a comprehensive identification and livestock management solution.

LEARN MORE: ZTAGS.COM


SELECTING A TAG

A crucial component to building an effective livestock management system is to have reliable, durable animal identification. Z Tags provide a variety of tools for visual and electronic identification. Our newest addition, the Tissue Sample Tag, also incorporates the latest technology for collecting genetic testing samples (refer to page 32 for more information).

These steps will help you select the best identification tools to meet your operation's needs.

1: Identification Method

The initial step in selecting your identification method is to decide on your approach. Visual (VID) tags are optimal for readability, particularly from a distance. Electronic (EID) tags enhance data collection and traceability, offering improved accuracy and efficiency. Combining both in a matched pair set creates a comprehensive management system.



VISUAL ELECTRONIC COMBINED

2: Types of Tags

Next, consider the type of tag. Z Tags provides premium one-piece and two-piece visual tags, tissue sampling for genetic and disease testing along with two types of EID tags (Full Duplex–FDX or Half Duplex–HDX). For a Matched Set, you can combine a VID and EID tag.



ONE-PIECE TWO-PIECE HDX FDX TISSUE

3: Tag Size & Animal Type

The species of the animal being tagged will assist you in selecting the appropriate size of visual tag. Both one-piece and two-piece tags are available in various sizes.

NOTE: EID tags can be utilized for any livestock species.



ONE-PIECE TWO-PIECE ANIMAL TYPE

4: Marking Options & Color

Visual tags can be marked by using the Tag Marking Pen or custom laser printing. We also provide pre-numbered, laser-printed tags for convenience. Visual tags are available in a variety of colors.

For marking options details, see page 37.



HANDWRITTEN PRE-NUMBERED LASER CUSTOMIZED LASER*


*Customized laser design layout featured here is provided as an example. Restrictions apply to the final layout. Contact customer service for full details.

Tips for Tag Retention

For superior tag retention, heavy tags **SHOULD NOT** be used on smaller or younger livestock. **ALWAYS** support the ear when tagging, especially newborn livestock. Remove twine from hay bales to minimize snagging.

Proper Tag Placement:

1. Always make a **NEW** hole.
2. Always use **NEW** tags.
3. Avoid penetrating cartilage and blood vessels.
4. Always use clean equipment for disease control.
5. If applying two-piece tags, make sure the rivet is on the **BACKSIDE** of the ear.
6. Proper healing is key to tag retention – **BE CAREFUL NOT** to tear the ear when applying tags.



"Z Tags are quality products that are extremely durable. This is the easiest tagging system we've ever used!"

JIM DOBSON
Dobson Ranch; Kaw City, Oklahoma

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

TAG COMPARISON CHART

	TAG SIZE	LIVESTOCK TYPE	MARKING OPTIONS	TAG TYPE
Z1 No-Snag-Tags™ One-piece	Cow		Handwritten with Tag Marking Pen, Pre-numbered or Custom Laser	Visual
	Longneck Calf			
	Calf			
	Small Animal			
Herdsman Two-piece	Cow		Handwritten with Tag Marking Pen, Pre-numbered or Laser	Visual
	Calf			
	Small Animal			
	Mini			
Tissue Tags	Tissue Sample Only (TSO)		Pre-numbered Laser	Visual
	Tissue Sample Tag (TST)		Custom or Pre-numbered Laser	Visual
ComfortEar® Slim F4Z	Half Duplex (HDX)		Pre-printed Only	Electronic ID
	Full Duplex (FDX)			
Original Punch Tag	Large		Embossed or Hot Stamp*	Visual
	Small			

*NOTE: See page 39 for Original Tag print specifications.

EID & Matched Sets


Electronic Identification (EID) tags also known as Radio Frequency Identification Tags (RFID). ComfortEar® Slim F4Z offers everything in a state-of-the-art EID ear tag.

- ***Superior Readability:*** Industry-leading read distance, depending on reader quality and environmental factors.
- ***ICAR Approved:*** Meets standards established by the International Committee for Animal Recording (ICAR), the worldwide organization of animal recording and productivity evaluation.
- ***Tamper-evident Design:*** Ensures security in livestock management programs.
- ***Lightweight & Low Profile:*** Lightweight works in animals of all ages and is ideal for young animals with tender ears. Slim design allows the tag to fit uniformly against the ear to prevent snagging.
- ***ISO Compliant:*** Conforms to standards established by the International Organization for Standardization (ISO) – the world's foremost developer of quality standards.

How EID Technology Works

- EID tags emit a low-frequency signal that can be read by a Portable Stick Reader, Panel Reader, or using an Antenna
- EID numbers are globally unique to each animal
- Enhances efficiency and accuracy of data collection
- Collecting electronic data reduces data entry errors
- EID numbers can be matched with VID numbers using an EID Stick Reader
- EID stores and transmits only the number; all other data is collected and stored in the cloud-based software

See page 16 for EID Stick Reader details.



EID TAGS

ComfortEar Slim F4Z

For all livestock species.

- Available in HDX (white) & FDX (yellow)
- Approved for USDA 840 cattle programs
- Laser printed
- Dimensions: 1 1/8" Diameter
- Weight: HDX = 6.3g; FDX = 4.2g
- 134.2kHz Frequency



HDX (Half Duplex)



FDX (Full Duplex)



RIVET

MATCHED SETS

Matched Sets

Matched Sets are a combination of an Electronic Identification (EID) tag and a Visual Identification (VID) tag. EID tags greatly improve the livestock tracking and identification processes to assist with traceability and disease control. Each Matched Set visual tag is printed with the unique, corresponding EID number. VID tags can also be printed with large managed numbers or custom marking options (see page 35).

	ComfortEar Slim F4Z	
	HDX 	FDX 
Weight	6.3gm	4.2gm
Dimensions	1 1/8" Diameter; 0.62"(D)	
Compliance	ISO 11784 & ISO 11785	
Radio Frequency	134.2 kHz	
Print	Laser	
Read Distance *(optimal reading conditions)*	14.17"Stick Reader 41" Antenna	13"Stick Reader 32.3" Antenna
Rivets Included	✓	
Species	Cattle, Goat, Sheep, Swine	
Material	Polyurethane	



MALE RIVET
1.125" DIAMETER
0.62" HEIGHT
1.8GM WEIGHT

TECHNOLOGIES AVAILABLE:
HDX = HALF DUPLEX
FDX = FULL DUPLEX

APPROVED FOR USDA
(840) CATTLE PROGRAMS

Visual Tag Pairing Options

Herdsman Two-piece Visual Tag

- Sizes: Cow, Calf, Small Animal & Mini

See page 38 for Herdsman details.



Z1 No-Snag-Tags Visual Tag

- Sizes: Cow, Calf, Longneck Calf & Small Animal

See page 34 for Z1 details.

Tissue Sample Tags


- Sizes: TST and TSO
- Available with matching visual tags

See page 30 for Tissue Sample Tag details.




EID TAGS


EID Assembly Instructions




Push the male button completely onto the tagger pin. The button will stay in position. If there is a shoe in the jaw of the applicator, it may require removal.



Depress the spring clamp and insert the ComfortEar EID tag. Insert the EID tag all the way to the stop.



Position the tag between the two main cartilages, approximately halfway between the animal's head and the ear tip. Squeeze the tagger handles firmly to apply the tag.



Slightly release grip pressure and pull tagger away from the ear.

When the male and female tags have locked together, the tagger jaws will pop open in a reflex action (and the pin may flip out), releasing the tag without tearing the animal's ear.

Compatible Products for EID:

Universal Tagger	Z2 No-Tear-Tagger™	Tissue Tagger	Herdsman II Tagger	EID Stick Reader	EID Panel Reader & Antennas
					
700 0800-119	930 0100-225	800 0800-123	930 0200-975	880 0004-657; 880 0004-656	880 0004-607; 880 0000-779; 880 0000-259

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

Heat, Health & Group Insights

with Tru-Test Active Tag Eartag

- The easiest installation of any activity monitoring system on the market. *Real Insights in real-time* and all at your fingertips.
- Gateway reads 1,500 FT
- Built-in ID MY COW technology
- Track key insights & activities
  (i.e. resting, lying, standing, rumination, eating, activity and more.)



CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM




Tissue Sample Tags

Unrivaled, quality, and simplicity combined.

One-step integration of tissue sampling with animal identification for genetic and disease testing.

- Visual tag guaranteed for the life of the animal
- Matching barcodes with Tissue Sample, RFID and visual tags
- Quick, clean collection for genetics and disease testing
- Accurate offspring pairing for improved reproduction results
- Increased herd credibility
- Customized laser printing available
- Prevents recording errors within the herd
- Dry desiccant vial sample proven to preserve a higher quality sample and can be stored up to 6 months at room temperature
- Certified PAS44
- Strong laboratory partnerships



CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

TIPS FOR TISSUE SAMPLING

DOS	DON'TS
Replace any cutter tip that has gotten dirty, or fallen onto the ground, with a fresh clean replacement before sampling.	Do not use cutter tips that have fallen on the ground or gotten dirty.
Handle cutter tip by its sides. Avoid any contact with metal portion of the cutter tip.	Do not rub, push, or touch end of cutter tip with fingers (keep it clean).
Wipe off any excess dirt with water and towel. Ideally clean ear with >95% ethanol to minimize bacterial contamination.	If an animal has been freshly tattooed, avoid getting any ink in the sample.
Position cutter approximately 1 inch from the edge of the ear, avoiding veins. A distal location on the ear is preferred.	Do not use other chemicals (eg. bleach) as these can adversely affect sample integrity. Avoid insect repellents and cleaning agents during sampling process.
Squeeze applicator handles together in one swift, fluid, motion with enough force to pierce the ear and produce a 'click'.	Do not store samples in direct sunlight or wet environments for prolonged periods.
Sample calves as soon as possible for the earliest results. Best time to sample is when an animal is restrained and safe for someone to take a sample. If sampling a newborn calf, be sure to wipe the ear clean so that no DNA is transferred from the mother.	If excess hair is protruding from the top of the sample container do not pull, ensure cutter tip is fully inserted then trim hair with scissors.
TSOs can be stored for up to one year (12 months) in a dry room temperature environment.	Do no sample if fecal matter or dirt is present on ear at sampling point.
For long term storage (over 12 months), place samples in deep freezer without auto-defrost capability.	Do not store samples in auto-defrost freezers – such as the one in your kitchen.
For BVD testing, send samples within 24 - 48 hours of collection.	Before investing in genomic testing, screen for diseases, such as animals persistently infected with bovine viral diarrhea (BVD-PI).

Results are highly dependent on management of the cutter tip, before and during the collection process.


CORRECT



INCORRECT



EAR LOCATION



RECOMMENDATIONS

Storage on Farm

- Store either in a cool, dry, dark place or in the refrigerator. Do not freeze sample containers during preservation period (first 12 hours).
- Ensure the location has a stable temperature and remains dry throughout the storage period.
- Recommended storage up to 12 months. For long term storage (over 12 months), place samples in deep freezer without auto-defrost capability.

Sending Samples for Testing


- Prior to shipping, wipe off samples to remove any mud, manure or blood to minimize risk of contamination at sample extraction and scanning.
- If only sending a small number of TSOs, place samples in a zip lock bag or the cardboard box in which the TSOs were supplied.
- Depending on the number of samples, place TSOs in a tough bag or envelope for sending.

TISSUE TAGS

Tissue Sample Only – TSO

Applicable to livestock already equipped with either a visual tag, electronic ear tag or where a visual tag is not required.

- Paired numbers with EID or visual tag
- Laser printed
- Pack of 10 Samples
- Dimensions: 2.9" (H) X 0.7" (W)





Tissue sample is placed directly into a vial containing desiccant. The vial is pre-labeled with a scannable unique barcode, which corresponds to an animal's ID. This barcode can be matched with either EID or visual tags.

Tissue Sample Tag – TST

Appropriate for cattle requiring both a large visual identification tag and a sample collection.

- One-step tag application with DNA collection
- Paired numbers with EID or visual tag
- Custom Laser printed
- Visual tag guaranteed for the life of the animal
- Dimensions: 3" (H) X 2 1/4" (W)



Tissue sample is placed directly into a vial containing desiccant. The vial is pre-labeled with a scannable unique barcode, which corresponds to an animal's ID. This barcode can be matched with either EID or visual tags.


Compatible Tissue Tag Products:

Tissue Tagger	EID	Tag Marking Pen	Herdsman Tags	Z1 No-Snag-Tags
				
800 0800-123		700 2500-239		REQUIRES Z1 NO-SNAG-TAGGER


ASSEMBLY INSTRUCTIONS

Note: Always clean all manure, dirt and debris from the ear before sampling.


Tissue Sample Only (TSO) Assembly Instructions




Push the metal plate up and slide the container tag underneath it. Make sure the container is firmly clipped into the tagger.




Remove the blue cutter tip from the tag leaving the female adaptor attached to the container. Clip the container tag onto the tagger lug.




Load the blue cutter tip onto the tagger pin.




Compress the tagger handles completely to take the DNA sample. Make sure the handles have released completely after taking sample to prevent torn ears.



Remove container tag from the tagger and pull off the female adaptor. Check that the cutter tip is present in the container and sample has been taken.




Remove the female adaptor/ cutter tip holder from the container tag. Must be removed **after use** for laboratory.




Write and record Visual Tag number on the info card provided. Send samples to the laboratory.


Tissue Sample Tag (TST) Assembly Instructions



On the bottom jaw, push the metal plate up and slide the sample vial and female tag underneath it. (Sample vial and female tag need to be fastened together.) Clip the sample vial flag onto the tagger lug. Position the female tag to the side.



Load the gray cutter tip onto the tagger pin, holding it from the base, not from the tip. Partially close the tagger to ensure that the male cutter tip is centered with the female sample vial. DO NOT FULLY FASTEN THE TAG!




Position the tag in the middle of the ear with the male tag facing the back of the ear. Compress the tagger all the way through the ear to feel a double click. A double click confirms that the sample was taken and the tag was applied.

NOTE: See compatible products for proper retention on page 32.

Z1 No-Snag-Tags™

The original and industry-leading one-piece tag on the market.

- Superior Retention
- Exceptional Readability
- Fast Healing
- Designed for Fast Tagging
- Multiple Sizes & Colors
- Available in Blanks, Pre-Numbered 1–200 or Custom Laser Print



- ***Superior Tip:*** Features a sharp tip that facilitates a surgical cut, resulting in faster healing compared to a puncture wound caused by forcefully punching the tag through the ear.
- ***Large Panel:*** A large visual panel for custom laser print or handwritten with Tag Marking Pen.
- ***Easy Application:*** Flexible material for easy loading on to the Z1 No-Snag-Tagger.™
- ***Flexible Construction:*** Durable to avoid ripped ears, tangled ears or tags snapping off during cold months.

*Customized laser design layout featured here is provided as an example. Restrictions apply to the final layout. Contact Customer Support for full details.

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

Z1 NO-SNAG-TAGS

Colors


Blue	Chartreuse+	Green	Orange	Pink
659 C	2297 C	7479 C	2023 C	204 C

Purple	Red	White	Yellow
2074 C	200 C	0	108 C



+Not available in Small Animal.
Actual tag pantone colors may vary from the color swatches shown.

Sizing



COW TAG:
Bull, Cow or Calf recommended

LONGNECK CALF TAG:
Long-haired breed recommended

CALF TAG:
Calf, Sheep or Goats recommended

SMALL ANIMAL TAG:
Calf, Sheep or Goats recommended

Compatible Products for Z1:

Z1 No-Snag-Tagger



930 0100-005

EID




Tag Marking Pen




700 2500-239

ASSEMBLY INSTRUCTIONS


Z1 No-Snag-Tag Assembly Instructions




Flip tagger pin up to tag loading position.



Insert pin into tag.




Straighten self-piercing tip and push down onto pin. Make sure the tag is fully seated on the pin.




Rotate tag to the side. Flip the tagger pin down into tagging position.



Tag through the front of the ear only. To apply tag, squeeze handles firmly together and hold closed.



Pull Z Tags tagger straight down and away from the ear in one single motion. DO NOT RELEASE HANDLES AT ANY POINT DURING THIS STEP. The pin automatically flips up to eliminate ripped ears.



A PROPERLY INSERTED TAG SHOULD LOOK LIKE THIS.

NOTE: See compatible Z1 products for proper retention on page 35.

Tag Marking Options

Handwritten with Tag Marking Pen

- Wipe tag with damp rag to remove dust, debris and oils, allow tag to dry before marking.
- Apply two coats for long-lasting results



Pre-numbered Laser

- Assured readability for the animal's lifespan.
- Recommended printing type



*Custom Laser**

- Assured readability for the animal's lifespan.
- Recommended printing type



*Customized laser design layout featured here is provided as an example. Restrictions apply to the final layout. Contact customer service for full details.

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM

Herdsman®
Two-piece Tags

Stronger. Tougher. Guaranteed.

The Herdsman is built to last – and we back that promise for the life of the animal.

Its rugged, wide-neck design and sloped shoulders stand up to the toughest situations, resisting hang-ups and breakage while delivering exceptional retention. Every tag is guaranteed against breakage and unreadable print for the life of the animal. The Herdsman delivers the reliability you can count on season after season.

- Lifetime Guarantee - Covering breakage & unreadable print
- Exceptional Retention
- Built for Harsh Conditions
- Pairs with TSO and TST (DNA collection)
- Matched Sets available with EIDs
- 2 sizes, 10 colors, 3 marking options (blank, pre-numbered or custom laser print)



Guarantee Summary:
The Herdsman ear tags are guaranteed against breakage, defects in material and workmanship, and laser-print legibility under normal use for the lifetime of the animal to which the Product is applied. To obtain full terms and conditions, please contact your representative or Datamars Customer Service or visit us.ztags.com/herdsman-guarantee.

Tamper-evident Option:
Recommended for one-time use in secure ID systems, including USDA programs.

Sloped Shoulder: Resists hang-ups in harsh environments for exceptional retention and prevents twisting to allow full line of sight.

Wide Visual Panel: Wide triangle-shape virtually eliminates breakage.

HERDSMAN TAGS

Colors

Blue	Chartreuse	Green	Orange	Pink
659 C	2297 C	7479 C	2023 C	204 C

Purple	Red	Turquoise	Yellow	White 0
2074 C	200 C	3255 C	108 C	



Actual tag pantone colors may vary from the color swatches shown.

- Tamper-evident (TE) Cow tag option is recommended for branded beef or similar value added programs.


Blue	Chartreuse	Green	Orange	Pink
659 C	2297 C	7479 C	2023 C	204 C

Purple	Red	Turquoise	Yellow	White 0
2074 C	200 C	3255 C	108 C	



Actual tag pantone colors may vary from the color swatches shown.

Sizing




COW TAG:
Bull, Cow or Calf recommended

CALF TAG:
Cow or Calf recommended


SMALL ANIMAL TAG:
Calf, Sheep, Goat or Swine recommended

ASSEMBLY INSTRUCTIONS


Herdsman Tag Assembly Instructions



Insert a female tag (front facing down) under the holding clamp in the lower jaw of the tagger.



Push the matching male rivet or male panel up onto the tagger pin in the upper jaw.



Position the tag between the two main cartilages, approximately halfway between the animal's head and the ear tip. Squeeze the tagger handles firmly closed. When the male and female tags have locked together, the tagger jaws will pop open in a reflex action (and the pin may flip out), releasing the tag without tearing the animal's ear.


"I recommend Z Tags to my customers for all of their program cattle. They are easy-to-use, easy-to-read, and they always stay in."

MARK FREEMAN
Superior Livestock Representative

Compatible Products for Herdsman:

Herdsman II Tagger	Z2 No-Tear-Tagger	Tissue Tagger	Universal Tagger	EID	Tag Marking Pen
					
930 0200-975	930 0100-225	800 0800-123	700 0800-119		700 2500-239

The Original One-piece Tag




The original hard plastic, snag-proof tag.




Available Colors Left to Right:
Black, White, Salmon, Dark Green, Royal Blue, Chartreuse, Blue, Red, Gold, Orange, Yellow, Turquoise, Green, Brown, Tan, Maroon, Purple, Gray and Silver.
Actual tag pantone colors may vary from the color swatches shown.

Tag Sizing



LARGE:
Bull, Cow or Calf recommended



SMALL:
Sheep, Goat or Calf recommended

Compatible Tagger:

Original Punch Tagger



700 2001-674

Printing Options

- Sequential numbers:
  - **Hot Stamped ONLY**, 1 line, black or white print
- Tag Maximum Characters (front & back):
  - **Large -** Up to 2 lines and 10 digits or letters
  - **Small -** Up to 2 lines and 8 digits or letters
- Any name or phone number will be debossed

LARGE



Hot Stamp Example


SMALL




Debossed Example

ASSEMBLY INSTRUCTIONS


The Original One-piece Tag Assembly Instructions



Punch hole in ear using the Original Punch Tagger.



Apply Original Tag by feeding long round end down through hole.



Original Tag hangs with split ends facing down.

Your Brand
Your Herd

Custom Tag Printing

- Durability, readability, and a look that reflects your operation
- Custom laser printing on 1 or 2 sides
- Matched sets of Electronic Identification (EID) tag and a Visual Identification (VID) tag
- Custom Printing Available on Z1, Herdsman, Feedlot, Feeder, SuperFeeder, and FaStocker

No complicated registration or loyalty account is needed.
To Order Contact Datamars Customer Service:

CUSTOMER SUPPORT:
(800) 433-3112 OR CUSTOMERSERVICE@DATAMARS.COM



APPLICATORS & ACCESSORIES

Z1 No-Snag-Tagger™*

- Lightweight
- Durable
- Eliminates ripped ears
- **Compatibility: Z1 No-Snag-Tag ONLY (pg 34)**



930 0100-005

Z2 No-Tear-Tagger™*

- Dual-action, kick-back jaw with flip-out pin
- Eliminates ripped ears
- Quick healing
- Ergonomic handle
- Superior durability
- Compatibility: F4Z & Herdsman (pg 26 & 38)



930 0100-225

Herdsman II Tagger*

- Compatibility: F4Z & Herdsman (pg 26 & 38)



930 0200-975

Universal Tagger*

- Powder-coated Alloy for superior durability
- Lock closes
- Compatibility: F4Z & Herdsman (pg 26 & 38)



700 0800-119

Tissue Tagger*

- One-step integration of tissue sampling and animal ID
- Easy-to-load and tagger simplicity
- Engineered for direct, non-arching application
- Compatibility: F4Z, Herdsman & Tissue products (pg 26, 30 & 38)



800 0800-123

Original Punch Tagger

- Classic Design
- Easy-to-use applicator
- Makes a punch to feed tag
- **Compatibility: Original Punch Tag ONLY (pg 41)**



700 2001-674

Multi-cutter

- Quick, safe and efficient tag, twine, latex bands and other material removal
- Dual-razor blade design
- Easy-to-use
- Finger guard feature
- Large hilt prevents slipping



700 2401-174

Universal Tagger Replacement Pin

- Exclusive use for Universal Tagger & Tissue Tagger



300 0100-063

Z1 No-Snag-Tagger Replacement Pin


- Exclusive use for Z1 No-Snag-Tagger



700 2500-963

Z2 No-Tear-Tagger Replacement Pin

- Exclusive use for Z2 No-Tear-Tagger



700 2300-063

Herdsman II Tagger Replacement Pin

- Exclusive use for Herdsman II Tagger



700 2001-104

Tag Marking Pen

- Apply two even coats for maximum results
- **For use on all VID tags**
- Special ink penetrates tag surface; quick drying ink
- No-fade long-lasting visibility
- Includes: (1) fine tip and (1) broad tip



700 2500-239

*Includes one spare pin with purchase.



Weight Management, EID & Livestock Identification

PRODUCT GUIDEBOOK - SUMMER 2026

DatamarsLivestockNA datamarslivestock_northamerica

Actual tag pantone colors may vary from the color swatches shown. Tru-Test, Z Tags, Temple Tag, Patriot, Pulse NFS, Speedrite, NJ Phillips, Simcro, Z1 No-Snag-Tags, Z1 No-Snag-Tagger, Z1 No-Tear-Tagger, and ComforEar are registered trademarks of Datamars, Inc. Information provided is believed to be accurate and reliable, Datamars assumes no responsibility for any inaccuracies. Performance data is typical, and variations due to component manufacturing tolerances are normal. Performance characteristics or specifications can change any time without notice. ©2026 Datamars, Inc. – All rights reserved.